Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	69218	(input$4 or key) near5 sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:37
L2	17583	(multifunction or (multi adj2 function) or function$3) near5 trigger$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:38
L3	850	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:39
L4	1846412	ID or identifi$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:39
L5	597	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:40
L6	932603	address$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:40
L7	421	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:41
L8	218	7 and @ad<"20001023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:43
L9	183628	(recogni$8 or identif$8 or look$4 or match$3) with (sequence or trigger$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:44

read

L10	139	8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:44

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2797	((key or input$4) near5 sequence).clm.	US-PGPUB	OR	ON	2005/09/06 12:46
L2	519	((multifunction or (multi adj2 function) or function$4) near5 trigger$4).clm.	US-PGPUB	OR	ON	2005/09/06 13:05
L3	3	1 and 2	US-PGPUB	OR	ON	2005/09/06 13:05

real